

PCTLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C08G 63/08, 63/60, 63/91		A2	(11) International Publication Number: WO 97/40085
			(43) International Publication Date: 30 October 1997 (30.10.97)
(21) International Application Number: PCT/IE97/00031			(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 22 April 1997 (22.04.97)			
(30) Priority Data: 960307 23 April 1996 (23.04.96) IE			
(71) Applicant (for all designated States except US): KINERTON LIMITED [IE/IE]; Blanchardstown Industrial Park, Blanchardstown, Dublin 15 (IE).			
(72) Inventors; and (75) Inventors/Applicants (for US only): LOUGHMAN, Thomas, Ciarán [IE/IE]; 63 Foxfield Avenue, Raheny, Dublin 5 (IE). RUSSELL, Ruth, Mary [IE/IE]; 40 Westpark Drive, Finglas, Dublin 11 (IE). TOURAUD, Frank, Jean-Claude [FR/FR]; Hameau de Normandie, 23, rue de la Vallée, F-27200 Vernon (FR).			
(74) Agent: ANNE RYAN & CO.; 60 Northumberland Road, Ballsbridge, Dublin 4 (IE).			Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: ACIDIC POLYLACTIC POLYMERS			
(57) Abstract <p>A biodegradable polyester prepared from lactic acid, and, optionally, other hydroxy acid or acids. The polyester contains 4-100 carboxyl groups and has an average molecular weight of 1,000 to 200,000 g/mol. Also disclosed are methods of making such polyesters.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Description

Acidic polylactic polymers

Technical Field

5 This invention relates to biodegradable polyesters and to methods for their preparation.

Background Art

10 Biodegradable polymers have been used, for example, as excipients in sustained release compositions for drugs. See, e.g., U.S. Patent Nos. 3,773,919 and 4,767,628. Examples of such polymers are copolymers of lactic acid and glycolic acid, which are made by either the polycondensation of lactic acid and glycolic acid, or by ring opening polymerization with lactide and glycolide. See, e.g., Drug Carriers in Biology and Medicine, ed. Gregoriadis, G., pages 241-245 (Academic Press, London 1979).

15 International Publication No. WO 94/15587 describes sustained release ionic conjugates of polymers and drugs. As the basic drug is ionically conjugated to the acidic polymer, increasing the acidity of the polymer is important to facilitate the formation of the conjugate.

Disclosure of Invention

20 An aspect of this invention features a biodegradable polyester comprising lactic acid units, wherein the polyester contains 4-100 (e.g., 4-40) carboxyl groups and has an average molecular weight of 1,000 to 200,000 g/mol. In one example, the polyester also includes glycolic acid units, or further includes a hydroxy-polycarboxylic acid unit (i.e.,
25 one or more units, such as tartaric acid, pamoic acid, or an ester acid thereof). The polyester can be made of 45 to 99.9 mole percent lactic acid units, 0 to 50 mole percent glycolic acid units, and 0.1 to 10 mole percent hydroxy-polycarboxylic acid units, in which the hydroxy-

polycarboxylic acid contains 1 to 20 (e.g., 2-20) hydroxyl groups and 2 to 40 carboxyl groups (e.g., 2-20).

5 In another aspect, this invention features a method for preparing a biodegradable polyester or its derivative. The method includes reacting a polyhydroxy-polycarboxylic acid, such as tartaric acid, pamoic acid, or an ester acid, with lactic acid or lactide to produce a polyester, e.g., heating the reactant between 100°C and 250°C. If
10 desired, the polyhydroxy-polycarboxylic acid can also be concomitantly reacted with glycolic acid or glycolide. The method can further include esterifying hydroxyl groups in the polyester thus formed with a second polycarboxylic acid or a second anhydride or alkylated with a second polyepoxy.

A third aspect of this invention features a method for preparing a biodegradable polyester derivative. The method includes reacting a
15 polyol (e.g., glucose, sorbitol, lactose, mannitol, or gluconic acid) with lactic acid or lactide to produce a polyester (e.g., heating the reactant between 80°C and 250°C); and esterifying free hydroxyl groups of the polyester thus formed with a polycarboxylic acid (e.g., succinic acid) or an anhydride (e.g., succinic anhydride or 1,2,4,5-benzene
20 tetracarboxylic dianhydride or glutaric anhydride optionally catalyzed with an acid, e.g., *p*-toluene sulfonic acid). If desired, the polyol can be concomitantly reacted with glycolic acid or glycolide.

In a still another aspect, this invention features a method for preparing a biodegradable polyester. The method includes reacting a
25 polyol with a polycarboxylic acid or an anhydride to produce a hydroxy-polycarboxylic acid, wherein the polyol has at least three hydroxy groups; and reacting the hydroxy-polycarboxylic acid thus formed with lactic acid or lactide to produce a polyester (e.g., heating the reactant between 80°C and 250°C). If desired, the method the
30 hydroxy-polycarboxylic acid can be concomitantly reacted with glycolic acid or glycolide, and, optionally, the remaining hydroxyl groups in the polyester can be esterified with a second polycarboxylic acid (e.g., succinic acid) or a second anhydride (e.g., succinic

anhydride or 1,2,4,5-benzene tetracarboxylic dianhydride) or alkylated with a second polyepoxy (e.g., 1,2,7,8-diepoxyoctane). The second polycarboxylic acid or second anhydride may be incorporated at the end of the polyester chain (e.g., acid tipping) or the second
5 polycarboxylic acid, second anhydride, or second polyepoxy may be incorporated within the polyester (e.g., polycondensation).

A still another aspect of this invention features a method of coupling polyesters containing at least lactic acid units, with or without other units such as glycolic acid units. The method includes esterifying
10 a free hydroxy group on each of the polyesters with a polycarboxylic acid (e.g., succinic acid) or an anhydride (e.g., succinic anhydride or 1,2,4,5-benzene tetracarboxylic dianhydride or glutaric anhydride optionally catalyzed with an acid, e.g., *p*-toluene sulfonic acid), or etherifying a free hydroxy group on the polyesters with a polyepoxy
15 (e.g., 1,2,7,8-diepoxyoctane). In one embodiment, the free hydroxy group is esterified with succinic acid under reduced pressure. In another embodiment, the free hydroxy group is esterified with 1,2,4,5-benzene tetracarboxylic dianhydride.

A still another aspect of this invention features a method of
20 increasing the free carboxyl groups of a biodegradable polyester as described above. The method includes esterifying the polyester with a polycarboxylic acid (e.g., succinic acid) or an anhydride (e.g., succinic anhydride or 1,2,4,5 benzene tetracarboxyl dianhydride) such that the polycarboxylic acid or anhydride cleaves an ester bond in the polyester
25 and esterifies the resulting hydroxy group on the cleaved polyester.

As used herein, "hydroxy-polycarboxylic acid" contains at least one hydroxy group (e.g., between 1 and 20 hydroxy groups) and at least two carboxyl groups (e.g., between 2 and 40 carboxyl groups);
"polyhydroxy-polycarboxylic acid" contains at least two hydroxy
30 groups (e.g., between 2 and 20 hydroxy groups) and at least two carboxyl groups (e.g., between 2 and 40 carboxyl groups);
"polycarboxylic acid" contains at least two carboxyl groups, a polyepoxy contains at least two epoxy groups (e.g., two epoxy groups);

and "polyol" contains at least two hydroxy groups (e.g., between 2 and 20 hydroxy groups). The term "anhydride" is meant to include both monoanhydride and polyanhydride.

5 Unless otherwise specified, lactic acid may be D-lactic acid or L-lactic acid and lactide may be D-lactide, L-lactide, or DL-lactide.

Other features and advantages of the present invention will be apparent from the detailed description of the invention, and from the claims.

10 It is believed that one skilled in the art can, based on the description herein, utilize the present invention to its fullest extent. The following specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the remainder of the disclosure in any way whatsoever.

15 Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Also, all publications, patent applications, patents, and other references mentioned herein are incorporated by reference.

Best Modes for Carrying Out the Invention

20 Example 1

Ring Opening Polymerization with L-Tartaric Acid

25 A 500 ml glass reactor was loaded with 203.2 g of L-lactide (Cilag AG, Schaffhausen, Switzerland), 81.8 g of glycolide (Cilag), and 15.0 g of L-tartaric acid (Riedel de Haen, Seelze, Germany). The L-Tartaric acid had been further dried over phosphorus pentoxide in an Abderhalden apparatus (Aldrich, Milwaukee, WI, U.S.A.). 5.3 ml of a 0.1 M tin 2-ethyl-hexanoate solution in toluene was added (stoichiometric ratio of 200 ppm). After drying under vacuum at room

temperature for one hour to remove the toluene, the reactor was placed under a nitrogen atmosphere and immersed in an oil bath preheated at 200°C and kept at 200°C for 4 hours under mechanical stirring. An amorphous copolymer was obtained comprising 65.13% lactic acid units, 32.56% glycolic acid units, and 2.31% tartaric units (65/33/2 PLGTA). The acid number of the copolymer was determined by titration to be 0.630 meq/g (e.g., acid number (milliequivalents/g) = the normality of NaOH multiplied by the volume of NaOH required to neutralize a gram of the polyester).

10

Example 2

Polycondensation with Succinic Acid

A 500 ml glass reactor was loaded with 100.0 g of a 3,000 g/mol (65/33/2) PLGTA (acid number = 0.630 meq/g) and 3.78 g of succinic acid (stoichiometric ratio of acid groups for succinic acid to hydroxyl group for copolymer = 1.06). The reactor was immersed in an oil bath at 200°C. Once melted, the mixture was vigorously stirred and kept under vacuum to distill off the condensation water (0.10 mBar). Samples were removed and analyzed every half hour. After 4 hours, the reaction was stopped because of the significant increase in the viscosity of the copolymer. The monitoring of the polycondensation is shown in Table I. The evolution of the acid number and the average number molecular weight (AVG. Mn) were determined by gel permeation chromatography (GPC) in tetrahydrofuran (THF), using a Wyatt light scattering detector.

15

20

TABLE I

REACTION TIME (hour)	ACID NUMBER (meq/g)	AVG. Mn (g/mol)
0	1.207	4,100
0.5	0.862	6,000
1.0	0.729	8,100
1.5	0.668	7,700
2.0	0.604	10,300
2.5	N/A	13,800
3.0	0.557	17,600
4.0	0.486	19,500

Example 3

Polycondensation with 1,2,4,5-Benzene Tetracarboxylic Dianhydride

5 A 500 ml glass reactor was loaded with 60.0 g of a (65/33/2)
10,000 g/mol PLGTA (acid number = 0.341 meq/g) and 2.98 g of
1,2,4,5-benzene tetracarboxylic dianhydride (Aldrich Chemical Co., St.
Louis, MO). The mixture was then immersed in an oil bath previously
heated to 220°C. After complete melting, the mixture was stirred
vigorously for 30 minutes. The average molecular weight was
10 determined by sterile exclusion chromatography (SEC) to be 10,500.
The acid number was determined to be 0.951 meq/g.

Example 4

Polycondensation with 1,2,7,8-Diepoxy Octane

15 60.0 g of a (65/33/2) 10,000 g/mol PLGTA (Acid number =
0.341 meq/g) was melted at 180°C in a glass reactor. Using a Gilson
pipette, 1.5 ml of 1,2,7,8-diepoxy octane was added dropwise by 300
microliter aliquots every 15 minutes. The mixture was stirred for four
more hours at this temperature. Table II confirms both the increase in

molecular weight of the copolymer and the lack of change of the acid number.

TABLE II

REACTION TIME (hour)	ACID NUMBER (meq/g)	AVG. Mn (g/mol)
0.0	0.34	14,190
1.0	0.37	14,130
2.0	0.37	16,440
3.0	0.38	17,160
4.0	0.39	17,760

Example 5

5 Ring Opening Polymerization with Malic Acid

A 500 ml glass reactor was loaded with 209.1 g of L-lactide (Cilag), 84.2 g of glycolide (Cilag), 6.7 g of D,L-malic acid (Aldrich), and 4.45 ml of a 0.1 M solution of tin 2-ethyl-hexanoate in toluene. The same protocol as described in Example 1 was followed, except that the temperature of the oil bath was kept at 180°C for the first four hours, and the temperature was then increased to 200°C. The polymerization was carried on over a total of 6 hours. The final copolymer contained only 1.7% by weight of residual L-lactide, had an acid number of 0.45 meq/g, and had an average molecular weight of 6,000 g/mol. The copolymer comprised 65.91% lactic acid units, 32.95% glycolic acid residues, and 1.14% malic acid residues. Its structure was linear with one hydroxy tip and two acid functions on the D,L-malic acid unit at the other tip.

Example 6

Polycondensation with Succinic Acid

5 A mixture of 60.0 g of the copolymer of Example 5 and 0.82 g of succinic acid (Aldrich) was melted at 200°C, kept under reduced pressure, and vigorously stirred for 4.75 hours. The evolution of the acid number and average molecular weight of the polymer were both determined by GPC in THF using a Wyatt light scanning detector and is summarized in Table III.

TABLE III

REACTION TIME (hour)	ACID NUMBER (meq/g)	AVG. Mn (g/mol)
0.00	0.896	5,000
0.50	0.632	5,400
1.00	0.599	6,900
1.33	0.470	8,700
1.67	0.428	8,800
2.75	0.381	12,100
3.67	0.350	12,200
4.75	0.310	13,700

10

Example 7

Synthesis of a Custom Initiator for Ring Opening Polymerization

15 A mixture of 22.61 g of L-Tartaric acid and 27.39 g of Benzene 1,2,4,5-tetracarboxylic dianhydride was added to a reaction vessel and immersed in an oil bath at 200°C. Once the mixture melted, the temperature of the vessel was raised to 220°C over 40 minutes and kept at this temperature for 30 more minutes under vigorous stirring. After

cooling to room temperature, the compound was characterized by acid titration to have an acid number of 12.96 meq/g.

Example 8

Synthesis of a Custom Initiator for Ring Opening Polymerization

5 A solution of 13.50 g of L-Tartaric acid in 200 ml of acetone (previously dried over calcium chloride) was heated to reflux. 11.50 g of 1,2,7,8-diepoxy octane was added dropwise using an introduction funnel for over 30 minutes. The solution was then refluxed for 3 more hours. The oligomers were recovered by acetone evaporation and
10 further dried under vacuum. The measured acid number was 4.03 meq/g.

Example 9

Ring Opening Polymerization with a Custom Initiator

15 A 500 ml glass reactor was loaded with 203.2 g of glycolide, 81.8 g of L-lactide, and 14.9 g of the initiator of Example 7. The same protocol as described in Example 1 was followed except that the oil bath was kept at 220°C and the polymerization was carried out over a total of 8 hours. The final copolymer had only 8.5% by weight of residual L-lactide, had an acid number of 0.77 meq/g, and had an
20 average molecular weight of 12,900 g/mol.

Example 10

Ring Opening Polymerization with a Custom Initiator

25 A 500 ml glass reactor was loaded with 129.4 g of glycolide, 52.1 g of L-lactide, and 18.5 g of the initiator of Example 8. The same protocol as described in Example 1 was followed except that the oil bath was kept at 200°C and the polymerization was carried out over a total of 5 hours. The final copolymer had only 10.6% by weight of

residual L-lactide, had an acid number of 0.472 meq/g, and had an average molecular weight of 30,500 g/mol.

Example 11

Ring Opening Polymerization using Polyols

5 A 500 ml glass reactor was loaded under dry atmosphere with glycolide, L-lactide, and various polyol initiators to obtain 300 g of a 66/33 PLGA copolymer of various molecular weights. The mixture was heated to a temperature generally 30°C higher than the melting point of the polyol initiator used, and stirred for 4 to 8 hours
10 depending on the polymerization kinetics. All the reaction conditions and the characteristics of the obtained copolymers are described in Table IV. Residual monomers (wt %) is the percent by weight of residual monomers (e.g., glycolide or lactide) in the polymer sample.

TABLE IV

INITIATOR TYPE	GLYCOLIDE (g)	L-LACTIDE (g)	INITIATOR (g)	TEMPERATURE/ REACTION TIME (°C)/(Hrs)	AVG. Mn (g/mol)	RESIDUAL MONOMER RS (Wt%)
D-Glucose	210.8	84.9	4.3	180/8	13,400	4.7
D-Lactose	210.2	84.7	5.1	200/8	24,200	4.5
D-Mannitol	211.3	85.1	3.6	180/4	10,900	2.9
Gluconic Acid	210.8	84.8	4.4	200/8	12,400	4.7

15

Example 12

Acid Tipping with Succinic Anhydride

Each of copolymers synthesized in Example 11 were further reacted with succinic anhydride (excess of 1.5 times the amount of hydroxyl groups initially introduced in the synthesis mixture), at 150°C
20 for 30 minutes, and vigorously stirred. The modified copolymer was then dissolved in acetone. A 2 N sodium hydroxide aqueous solution

was then added in an excess of twice the acid number of the copolymer. The copolymer was then precipitated from the solution by slow addition to cold deionized water. The suspension was finally spun down (5,000 rpm) at 0°C for 30 minutes, and freeze-dried. This washing removed residual monomers from the polymerization, and converted excess of succinic anhydride to sodium succinate, which was also removed during the washing. The efficiency of the washing was verified by SEC. Table V summarizes the characteristics of these final copolymers.

TABLE V

INITIATOR	ACID NUMBER (meq/g)	AVG. Mn (g/mol)
D-Glucose	0.331	15,100
D-Lactose	0.290	27,600
D-Mannitol	0.448	13,400
Gluconic Acid	0.549	11,000

Example 13

Synthesis of a Custom Initiator for Ring Opening Polymerization

Different hydroxyl group containing initiators were acid functionalized using succinic anhydride, by melting both reagents and keeping them under vigorous stirring for 30 minutes. Reactor loadings and temperatures are summarized in Table VI.

TABLE VI

INITIATOR	INITIATOR WEIGHT (g)	SUCCINIC ANHYDRIDE (g)	TEMPERATURE /REACTION TIME (°C)/(min)	ACID NUMBER (meq/g)	MELTING POINT (°C)
D-Glucose	7.8	17.2	160 / 30	8.2	150
D-Lactose	9.1	15.9	200 / 20	6.5	220
D-Mannitol	7.8	17.2	150 / 30	8.2	120

Example 14

Ring Opening Polymerization with a Custom Initiator

5 A 500 ml glass reactor was loaded under dry atmosphere with Glycolide, L-lactide, and the three modified initiators of Example 13 to obtain 200 g of a copolymer of various molecular weight. The mixture was heated to a temperature generally 30°C higher than the melting point of the polyol initiator used, and stirred for 4 to 8 hours depending on the polymerization kinetics. All the reaction conditions and the characteristics of the obtained copolymers are described in

10 Table VII.

TABLE VII

MODIFIED INITIATOR TYPES	GLYCOLIDE (g)	L-LACTIDE (g)	INITIATOR (g)	TEMP (°C)	REACTION TIME (Hrs)	AVG. Mn (g/mol)	RESIDUAL MONOMER S (Wt%)	ACID NUMBER (meq/g)
Succinylated D-Glucose	134.3	54.1	11.6	180	8	18,900	3.5	0.678
Succinylated D-Lactose	133.6	53.8	12.6	220	8	22,600	2.2	0.780
Succinylated D-Mannitol	134.3	54.1	11.7	180	7	5,300	3.5	0.648

Example 15

Ring Opening Polymerization Using Hexadecanol and 1,2-Propanediol

Two copolymers were synthesized as described in Example 11 using hexadecanol or 1,2-propanediol as the polyol initiator. The reaction conditions and results are shown in Table VIII.

TABLE VIII

INITIATOR TYPE	GLYCOLIDE (g)	LLACTIDE (g)	INITIATOR (g)	TEMP. REACTION TIME	AVG. Mn (g/mol)	RESIDUAL MONOMERS (Wt%)
Hexadecanol	203.5	81.9	14.55	180/4	5,000	1.8
1,2-propanediol	210.6	84.8	4.6	180/4	5,100	2.1

Example 16

Polycondensation with BTCDA

Either the two copolymers of Example 15 or just the 1,2-propanediol polymer of Example 15 were mixed in a 500 ml glass reactor with benzene 1,2,4,5-tetracarboxylic dianhydride (BTCDA). The copolymer initiated by the hexadecanol contained only one hydroxyl group and, thus, acted as a chain limitator for the polycondensation. In both experiments, the reaction mixture was stirred at 200°C for 4 hours.

TABLE IX

Hexadecanol	1,2-Propanediol	BTCDA (g)	Acid Number	AVG. Mn (g/mol)	RESIDUAL MONOMERS
0	71.12	3.88	0.825	17,300	4.3/1.7
7.20	64.81	2.98	0.545	10,000	1.8/1.4

Example 17

Synthesis of a Custom Initiator

5 A 500 ml glass reactor was loaded with 36.13 g of 1,2,4,5-benzene tetracarboxylic dianhydride (BTCDA) and 13.87 g of 1,2-propanediol to obtain a decamer of 1,2-propylene-benzene dicarboxylic acid dicarboxylate terminated at both ends by a 1,2-propanediol unit. The mixture was left at room temperature under mechanical stirring for 30 minutes to gently initiate the polycondensation. The mixture
10 was then immersed in an oil bath at 160°C until the mixture was fully melted. The temperature was then brought up to and kept at 180°C for 20 minutes when the viscosity of the mixture became too high to allow stirring. The mixture was then cooled down to room temperature and analyzed by SEC in acetone and acid function titration. The resulting
15 polymer had an acid number of 6.2 meq/g, an average Mn of 3020 g/mol, and a melting point of 240°C.

Example 18

Ring Opening Polymerization with a Custom Initiator

20 A 500 ml glass reactor was loaded with 131.8 g of glycolide, 53.1 g of L-lactide, and 15.1 g of the initiator of Example 17. The mixture was then heated to 220°C and stirred for 5.5 hrs. The final copolymer had only 8.7%, by weight, of residual L-lactide, an acid number of 0.77 meq/g, and an average number molecular weight of 15,200 g/mol.

Example 19

Ring Opening Polymerization with Glycolic Acid

A 500 ml glass reactor was loaded with a mixture of glycolide, L-lactide, and the ring opening polymerization initiator glycolic acid under dry atmosphere. A 0.1 M toluene solution of tin2-ethyl-hexanoate was used as a catalyst in a molar ratio of 200 ppm. The mixture was further dried under vacuum for one hour to remove the toluene and then immersed in an oil bath. The polymerization was carried on under vigorous stirring for 6 hours. The reaction conditions and characteristics of the final copolymer are listed in Table X.

TABLE X

INITIATOR TYPE	GLYCOLIDE (g)	LLACTIDE (g)	INITIATOR (g)	TEMPERATURE/ REACTION TIME (°C)/(Hrs)	AVG. Mn (g/mol)	RESIDUAL MONOMERS (Wt%)	ACID NUMBER (meq/g)
Glycolic acid	213.1	85.8	2.3	200/6	12,500	1.8	0.129

Example 20

Polycondensation with Succinic Acid or HCACH

The copolymer of Example 19 was mixed with succinic acid or hexacarboxylic acid cyclohexane (HCACH) at a respective stoichiometric ratio of 1:1 and 3:2, melted at 200°C, and kept under stirring for 2 to 4 hours until the SEC analysis failed to show any elution peak for succinic acid or HCACH. Conditions and characteristics are summarized in Table XI.

TABLE XI

INITIATOR	ACID NUMBER (meq/g)	AVG. Mn (g/mol)
Succinic Acid	0.097	35,500
HCACH	0.630	6,800

It is to be understood that while the invention has been described in conjunction with the detailed description thereof, that the foregoing description is intended to illustrate and not limit the scope of the invention, which is defined by the scope of the appended claims. Other aspects, advantages, and modifications are within the claims.

Example 21

Synthesis of a 12,000 g/mol 66/33/1 PLGTA Copolymer Initiated by Tartaric Acid

Reactor was loaded with monomers glycolide (Purac Biochem, Netherlands; 84.72 g), lactide (Purac Biochem; 210.41 g), and L(+)-tartaric acid (Riedel-de Haen, 3.74 g) and stannous 2-ethyl hexanoate (Sigma, St. Louis, Missouri, USA, article number S-3252) in toluene (Riedel-de Haen) solution (0.1043 M, 4.25 ml). The L(+)-tartaric acid was previously dried over silica gel in an Abderhalden drying apparatus for 9 hours. The reactor (connected to pump *via* a liquid nitrogen trap) was then put under vacuum (0.04 mbar) with stirring (34 rpm, Bioblock Scientific stirrer, Strasbourg, France, Model 94412) for approximately 40 minutes to remove toluene. The reactor was then placed in oil bath (Temperature = 40°C) for 30 minutes. The reactor, under an atmosphere of oxygen free nitrogen (BOC gases, moisture content of 8VPM), was then immersed in oil bath (Temperature = 200°C) and stirring was increased to ~125 rpm. Prior to immersion, a heating tape was placed on lid (Thermolyne type 45500 input control, setting -4). The time taken to completely melt contents of reactor was noted, typically 10 minutes for a reactor load of 300 g at 200°C.

Samples were taken during reaction every 2 hours for example and analyzed by GPC to determine the percentage residual monomer and to obtain values for average molecular weight (M_n) and average molecular weight (M_w). Typical reaction times are of the order of 8 hours.

An amorphous copolymer was obtained comprising 66.29% lactide units, 33.15% glycolide units, and 0.56% tartaric acid units (66/33/1 PLGTA). The acid number of the titration was determined to be 0.267 meq/g. The average number average molecular weight of the copolymer had a value of 12,360, the average weight molecular of the copolymer was 14,060 giving a M_w/M_n value of 1.37.

Example 22

Acid Tipping 12,000 g/mol 66/33/1 PLGTA by Glutaric Anhydride

Reactor was loaded with the above PLGTA copolymer (19.01 g) and glutaric anhydride (Aldrich, 0.47 g). The loaded reactor was purged until pressure reading was approximately 0.04 mbar. The reactor was subsequently put under an atmosphere of oxygen free nitrogen (BOC Gases, moisture content of 8VPM) and immersed in oil bath (Temperature = 160°C) with heating tape on lid (setting = 4, same model as before) at a convenient and noted time. The contents of reactor melted after 10 minutes with this reactor load at 160°C. Reaction was carried out for a further 30 minutes. Final acid number of the glutarylated PLGTA was 0.353 meq/g. M_n , M_w and M_w/M_n values were found to be, respectively, 11,850, 12,500, and 1.055. The percentage of PLGTA hydroxyl groups which were glutarylated was 69.7%.

Claims:-

1. A biodegradable polyester comprising lactic acid units, wherein said polyester contains 4-100 carboxyl groups and has an average molecular weight of 1,000 to 200,000 g/mol.
- 5 2. A biodegradable polyester according to claim 1, wherein said polyester comprises between 4 and 40 carboxyl groups.
3. A biodegradable polyester according to claim 1 or 2, wherein said polyester further comprises glycolic acid units.
- 10 4. A biodegradable polyester according to any one of claims 1-3, wherein said polyester comprises a hydroxy-polycarboxylic acid unit.
5. A biodegradable polyester according to claim 4, wherein said hydroxy-polycarboxylic acid is tartaric acid, pamoic acid, or an ester acid thereof.
- 15 6. A biodegradable polyester according to claim 5, wherein said polyester comprises 45 to 99.9 mole percent lactic acid units, 0 to 50 mole percent glycolic acid units, and 0.1 to 10 mole percent hydroxy-polycarboxylic acid units.
- 20 7. A biodegradable polyester according to any one of claims 4-6, wherein said hydroxy-polycarboxylic acid contains 1 to 20 hydroxyl groups and 2 to 40 carboxyl groups.
8. A biodegradable polyester according to claim 7, wherein said hydroxy-polycarboxylic acid contains between 2 to 20 hydroxyl groups and 2 to 20 carboxyl groups.
- 25 9. A method for preparing a biodegradable polyester or its derivative, said method comprising reacting polyhydroxy-polycarboxylic acid with lactic acid or lactide to produce a polyester.

10. A method according to claim 9, wherein said polyhydroxy-polycarboxylic acid is also reacted with glycolic acid or glycolide.

5 11. A method according to claim 10, wherein said polyhydroxy-polycarboxylic acid is tartaric acid, pamoic acid, or an ester acid.

12. A method according to any one of claims 9-11, further comprising esterifying hydroxyl groups in said polyester thus formed with a second polycarboxylic acid or a second anhydride or alkylated with a second polyepoxy.

10 13. A method according to claim 12, wherein said method comprises esterifying hydroxy groups in said polyester with glutaric anhydride and an acid catalyst.

14. A method for preparing a biodegradable polyester derivative, said method comprising:

15 reacting a polyol with lactic acid or lactide to produce a polyester; and

esterifying free hydroxyl groups of said polyester thus formed with a polycarboxylic acid or an anhydride.

20 15. A method according to claim 14, wherein said polyol is also reacted with glycolic acid or glycolide.

16. A method according to claim 14 or 15, wherein said polyol is glucose, sorbitol, lactose, mannitol, or gluconic acid.

25 17. A method according to any one of claims 14-16, wherein said polycarboxylic acid is succinic acid and said anhydride is succinic anhydride or 1,2,4,5-benzene tetracarboxylic dianhydride.

18. A method for preparing a biodegradable polyester, said method comprising:

5 reacting a polyol with a polycarboxylic acid or an anhydride to produce a hydroxy-polycarboxylic acid, wherein said polyol has at least three hydroxy groups; and

reacting said hydroxy-polycarboxylic acid thus formed with lactic acid or lactide to produce a polyester.

19. A method according to claim 18, wherein said hydroxy-polycarboxylic acid is also reacted with glycolic acid or glycolide.

10 20. A method according to claim 18 or 19, wherein said polyol is glucose, sorbitol, lactose, mannitol, or gluconic acid.

15 21. A method according to any one of claims 18-20, wherein hydroxyl groups in said polyester are esterified with a second polycarboxylic acid or a second anhydride or alkylated with a second polyepoxy.

22. A method according to claim 21, wherein said polycarboxylic acid is succinic acid and said second anhydride is succinic anhydride or 1,2,4,5-benzene tetracarboxylic dianhydride or said second polyepoxy is 1,2,7,8-diepoxyoctane.

20 23. A method of coupling polyesters containing lactic acid units, said method comprising esterifying a free hydroxy group on each of said polyesters with a polycarboxylic acid or an anhydride or etherifying a free hydroxy group on said polyesters with a polyepoxy.

25 24. A method according to claim 23, wherein said polycarboxylic acid is succinic acid, said anhydride is succinic anhydride or 1,2,4,5-benzene tetracarboxylic dianhydride, and said polyepoxy is 1,2,7,8-diepoxyoctane.

25. A method according to claim 23 or 24, wherein said free hydroxy group is esterified with succinic acid under reduced pressure.

26. A method according to any one of claims 23-25, wherein said polyester further contains glycolic acid units.

5 27. A method according to claim 23, wherein said free hydroxy group is esterified with 1,2,4,5-benzene tetracarboxylic dianhydride.

10 28. A method of increasing the free carboxylic groups of a biodegradable polyester containing lactic acid units, said method comprising esterifying said polyester with a polycarboxylic acid or an anhydride such that said polycarboxylic acid or anhydride cleaves an ester bond in said polyester and esterifies the resulting hydroxy group on said cleaved polyester.

15 29. A method according to claim 28, wherein said polyester further contains glycolic acid units.

30. A method according to claim 28, wherein said polycarboxylic acid is succinic acid and said anhydride is succinic anhydride or 1,2,4,5 benzene tetracarboxyl dianhydride.

20 31. A biodegradable polyester according to claim 1, substantially as hereinbefore described.

32. A method for preparing a biodegradable polyester or a derivative thereof, substantially as hereinbefore described and exemplified.

25 33. A method of coupling polyesters containing lactic acid units, substantially as hereinbefore described and exemplified.

34. A method of increasing the free carboxylic groups of a biodegradable polyester containing lactic acid units, substantially as hereinbefore described and exemplified.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C08G 63/08, 63/60, 63/91	A3	(11) International Publication Number: WO 97/40085 (43) International Publication Date: 30 October 1997 (30.10.97)
(21) International Application Number: PCT/IE97/00031 (22) International Filing Date: 22 April 1997 (22.04.97) (30) Priority Data: 960307 23 April 1996 (23.04.96) IE (71) Applicant (for all designated States except US): KINERTON LIMITED [IE/IE]; Blanchardstown Industrial Park, Blanchardstown, Dublin 15 (IE). (72) Inventors; and (75) Inventors/Applicants (for US only): LOUGHMAN, Thomas, Ciarán [IE/IE]; 63 Foxfield Avenue, Raheny, Dublin 5 (IE). RUSSELL, Ruth, Mary [IE/IE]; 40 Westpark Drive, Finglas, Dublin 11 (IE). TOURAUD, Frank, Jean-Claude [FR/FR]; Hameau de Normandie, 23, rue de la Vallée, F-27200 Vernon (FR). (74) Agent: ANNE RYAN & CO.; 60 Northumberland Road, Ballsbridge, Dublin 4 (IE).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> (88) Date of publication of the international search report: 22 January 1998 (22.01.98)
(54) Title: ACIDIC POLYLACTIC POLYMERS (57) Abstract <p>A biodegradable polyester prepared from lactic acid, and, optionally, other hydroxy acid or acids. The polyester contains 4-100 carboxyl groups and has an average molecular weight of 1,000 to 200,000 g/mol. Also disclosed are methods of making such polyesters.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/EP 97/00031

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C08G63/08 C08G63/60 C08G63/91

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 C08G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP,A,0 426 055 (BOEHRINGER INGELHEIM KG) 8 May 1991 see the whole document ---	1-11,31, 32,34
X	WO,A,94 15587 (KINERTON LIMITED) 21 July 1994 cited in the application see page 5, line 33 - page 6, line 5; claims 1-7,14-22 -----	1-4, 6-13,31, 32,34

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *A* document member of the same patent family

Date of the actual completion of the international search

4 August 1997

Date of mailing of the international search report

0 8. 12. 97

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

DECOCKER, L

INTERNATIONAL SEARCH REPORT

ational application No.

PCT/IE 97/00031

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. Claims : 1-8(partially); 9-11; 31,32,34(partially)
2. Claims : 1-8(partially); 12,13; 31,32,34(partially)
3. Claims : 1-3(partially); 14-22; 31,32,34(partially)
4. Claims : 1-3(partially); 23-30; 31-34(partially)

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-8(partially); 9-11; 31,32,34(partially)

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/E 97/00031

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0426055 A	08-05-91	DE 3936191 A JP 3174438 A US 5084553 A	02-05-91 29-07-91 28-01-92
WO 9415587 A	21-07-94	AU 680650 B AU 5992194 A CA 2150574 A CZ 9501734 A EP 0678018 A FI 953314 A HU 73188 A IE 61251 B JP 8505395 T NZ 261250 A PL 309776 A SK 74495 A US 5672659 A ZA 9400077 A	07-08-97 15-08-94 21-07-94 17-01-96 25-10-95 05-07-95 28-06-96 19-10-94 11-06-96 22-08-97 13-11-95 08-01-97 30-09-97 11-08-94





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: C08G 63/08, 63/60, 63/91	A3	(11) International Publication Number: WO 97/40085 (43) International Publication Date: 30 October 1997 (30.10.97)
(21) International Application Number: PCT/IE97/00031 (22) International Filing Date: 22 April 1997 (22.04.97) (30) Priority Data: 960307 23 April 1996 (23.04.96) IE (71) Applicant (for all designated States except US): KINERTON LIMITED [IE/IE]; Blanchardstown Industrial Park, Blanchardstown, Dublin 15 (IE). (72) Inventors; and (75) Inventors/Applicants (for US only): LOUGHMAN, Thomas, Ciarán [IE/IE]; 63 Foxfield Avenue, Raheny, Dublin 5 (IE). RUSSELL, Ruth, Mary [IE/IE]; 40 Westpark Drive, Finglas, Dublin 11 (IE). TOURAUD, Franck, Jean-Claude [FR/FR]; Hameau de Normandie, 23, rue de la Vallée, F-27200 Vernon (FR). (74) Agent: ANNE RYAN & CO.; 60 Northumberland Road, Ballsbridge, Dublin 4 (IE).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> (88) Date of publication of the international search report: 22 January 1998 (22.01.98)
(54) Title: ACIDIC POLYLACTIC POLYMERS (57) Abstract A biodegradable polyester prepared from lactic acid, and, optionally, other hydroxy acid or acids. The polyester contains 4-100 carboxyl groups and has an average molecular weight of 1,000 to 200,000 g/mol. Also disclosed are methods of making such polyesters.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						